



KERALA GAZETTE

കേരള ഗസറ്റ്

PUBLISHED BY AUTHORITY

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്

Vol. LVII വാല്യം 57	THIRUVANANTHAPURAM, TUESDAY തിരുവനന്തപുരം, ചൊവ്വ	7th August 2012 2012 ആഗസ്റ്റ് 7 16th Sravana 1934 1934 ശ്രാവണം 16	No. നമ്പർ	32
------------------------	---	--	--------------	----

PART III

Stores Purchase

Forest Department

TENDER NOTICE

No. PCM-486/2012.

23rd July 2012.

Sealed separate tenders are invited from reputed firms for the supply of Network Switches, A0 Plotter, DLP Projector, Digital Cameras and Solar Chargers for use in the Kerala Forest Department (KFD). The equipment should conform to the technical standards and specifications detailed in the Annexure to this notice.

Sl. No.	Tender No. and Name of Items with PAC	Qty. (approx.) Nos.	Cost of tender form + VAT @ 4% or the rate applicable at that time
1	PCM-486/2012— Network switches— 3 lakhs	3	600
2	PCM2-1412/2010— A0 Plotter— 3.50 lakhs	1	700

3	PCP1-12869/2012— DLP Projectors— 5.10 lakhs	10	1,100
4	PCP1-12714/2012— Digital Camera— 3 lakhs	50	600
5	PCP1-12896/2012— Advanced Digital Camera— 1.20 lakhs	5	400
6	PCP1-12711/2012— Solar Chargers— 10 lakhs	50	2,000

Last date and time for receipt of tender—Till 1 p. m. on the fifteenth day of publication of this tender notice in the Kerala Government Gazette (both days inclusive).

Opening of tender—At 3 p. m. on the last day of receipt in the presence of tenderers or their authorized representatives who may be present at that time.

Period of Supply—Within thirty days from the date of supply order.

Mode of Payment—Within two weeks from the date of delivery and installation

Place to be delivered—Will be mentioned in the Supply Order.

The KFD will be at liberty to increase or decrease the number to be procured or may decide not to procure

at all. Tender forms can be purchased from the office of the undersigned or a DD drawn in favour of the Addl. Principal Chief Conservator of Forests (FMIS), Forest Headquarters, Vazhuthacadu, Thiruvananthapuram payable at Thiruvananthapuram shall be enclosed along with the tenders in case where tender forms are downloaded from the internet and used.

The tender forms are not transferable. The tenders received late or in form other than in the prescribed tender form and without the cost of tender document and EMD are liable to be rejected. The prescribed tender form can be had from the office of the undersigned during office hours. If the day of opening tender happens to be a holiday, the tender will be opened on the next working day.

For more details please visit: www.forest.kerala.gov.in

കേരള വനം വകുപ്പിലെ വിവിധ ഓഫീസുകളിലെ ഉപയോഗത്തിനായി വിശ്വസ്ത സ്ഥാപനങ്ങളിൽനിന്നും നെറ്റ് വർക്ക് പോർട്ട് സ്വിച്ചുകൾ, A0 പ്ലോട്ടർ, ഡി. എൽ. പി. പ്രോജക്ടർ, ഡിജിറ്റൽ ക്യാമറ അഡ്വാൻസ്ഡ് ഡിജിറ്റൽ ക്യാമറ, സോളാർ ചാർജേഴ്സ് എന്നിവ വാങ്ങുന്നതിനായി അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് ഫോറസ്റ്റ് കൺസർവേറ്റർ (എഫ്. എം. ഐ. എസ്.) ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ഈ പരസ്യത്തിനോടൊപ്പം ഉള്ളടക്കം ചെയ്ത അനൗൺസിൽ പറയുന്ന നിലവാരത്തിലുള്ളതും നിശ്ചിത യോഗ്യതകളുമുള്ള ഉപകരണമാണെന്ന് ഉറപ്പുവരുത്തേണ്ടതാണ്.

ക്രമ നമ്പർ	ദർഘാസ് നമ്പരും എണ്ണം ഇനവും (ഏകദേശം)	ദർഘാസ് ഫോറത്തിന്റെ വില + VAT @ 4% അല്ലെങ്കിൽ ആ സമയത്തെ നിരക്ക്
------------	-------------------------------------	--

1	PCM-486/2012— നെറ്റ് വർക്ക് പോർട്ട് സ്വിച്ചുകൾ— 3 ലക്ഷം	3 600
2	PCM2-1412/2010 A0 പ്ലോട്ടർ— 3.50 ലക്ഷം	1 700
3	PCP1-12869/2012— ഡി.എൽ.പി. പ്രോജക്ടർ 5.10 ലക്ഷം	10 1,100

4	PCP1-12714/2012— ഡിജിറ്റൽ ക്യാമറ 3 ലക്ഷം	50 600
5	PCP1-12896/2012— അഡ്വാൻസ്ഡ് ഡിജിറ്റൽ ക്യാമറ— 1.20 ലക്ഷം	5 400
6	PCP1-12711/2012— സോളാർ ചാർജേഴ്സ്— 10 ലക്ഷം	50 2,000

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—ഈ ദർഘാസ് പരസ്യം സർക്കാർ ഗസറ്റിൽ പ്രസിദ്ധീകരിച്ച ദിവസം മുതൽ 15-ാം ദിവസം ഉച്ചയ്ക്ക് ഒരു മണിവരെ.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന ദിവസം ഉച്ചയ്ക്ക് ശേഷം 3 മണിക്ക് ലേലക്കാരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ.

ദർഘാസ് ഫോറം വിതരണം ചെയ്യേണ്ടുന്ന സമയം—വിതരണത്തിനുള്ള ഉത്തരവ് കിട്ടി മുപ്പത് ദിവസത്തിനകം.

പണം നൽകുന്ന രീതി—വിതരണം ചെയ്ത തീയതി മുതൽ രണ്ടാഴ്ചയ്ക്കുള്ളിൽ.

വിതരണം ചെയ്യേണ്ടുന്ന സ്ഥലം—വിതരണത്തിനുള്ള ഉത്തരവിനോടൊപ്പം നൽകുന്നതായിരിക്കും.

ഉപകരണങ്ങളുടെ എണ്ണം കൂട്ടാനും കുറയ്ക്കാനും അല്ലെങ്കിൽ വാങ്ങാതിരിക്കാനുമുള്ള തീരുമാനമെടുക്കുന്നതിന് വനം വകുപ്പിന് അവകാശമുണ്ട്. ദർഘാസ് ഫോറം മേൽപ്പറഞ്ഞ വിലയോടുകൂടി പ്രവൃത്തി ദിവസങ്ങളിൽ അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് ഫോറസ്റ്റ് കൺസർവേറ്റർ (എഫ്. എം. ഐ. എസ്.)-ന്റെ ഓഫീസിൽനിന്നും വാങ്ങാവുന്നതാണ്. ഇന്റർനെറ്റിൽനിന്നും ദർഘാസ് ഫോറം ഡൗൺലോഡ് ചെയ്യുന്ന പക്ഷം ദർഘാസിനോടൊപ്പം അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് ഫോറസ്റ്റ് കൺസർവേറ്റർ (എഫ്. എം. ഐ. എസ്.), ഫോറസ്റ്റ് ഹെഡ് ക്വാർട്ടേഴ്സ്, വഴുതയ്ക്കാട്, തിരുവനന്തപുരം എന്ന പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റ് ഉള്ളടക്കം ചെയ്യേണ്ടതാണ്.

താമസിച്ചു ലഭിക്കുന്ന ദർഘാസുകൾ, നിശ്ചിത ദർഘാസ് ഫോറത്തിലല്ലാതെ ലഭിക്കുന്ന ദർഘാസുകൾ, ദർഘാസ് ഫോറത്തിന്റെ വിലയോ ഇ. എം. ഡി.യോ ഇല്ലാതെ ലഭിക്കുന്ന ദർഘാസുകൾ എന്നിവ നിരസിക്കുന്നതാണ്. ദർഘാസ് ഫോറം അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് ഫോറസ്റ്റ് കൺസർവേറ്റർ (എഫ്. എം. ഐ. എസ്.)-ന്റെ ഓഫീസിൽ നിന്നും പ്രവൃത്തി ദിവസങ്ങളിൽ വാങ്ങാവുന്നതാണ്. ഏതെങ്കിലും കാരണവശാൽ ദർഘാസ് തുറക്കാൻ നിശ്ചയിച്ചിരിക്കുന്ന ദിവസം അവധിയായി വരികയാണെങ്കിൽ തൊട്ടടുത്ത പ്രവൃത്തി ദിവസം ദർഘാസ് തുറക്കുന്നതായിരിക്കും.

കൂടുതൽ വിവരങ്ങൾക്ക് www.forest.kerala.gov.in എന്ന വെബ്സൈറ്റ് സന്ദർശിക്കുക.

ANNEXURE

A. Technical Specifications of 48 Port Network switches

	Qty. (Approx.)
Device Type	—Switch-48 ports one Layer 2 managed switch
Rack-mountable	—Yes
Ports	—48 × 10/100/1000 + 2 × SFP (mini-GBIC)
Switching capacity	—50 Gbps
Forwarding performance	—74.4 mpps
Remote Management Protocol	—HTTPS, TFTP, Telnet, RMON 1, SNMP 2, SNMP 1, SNMP 3, RMON 2, HTTP, SSH 2, SNMP 2c
Features	—Layer 2 switching, VLAN support, Multiple Spanning Tree Protocol (MSTP) support, Link Aggregation Control Protocol (LACP), Port Security, MAC Address Notification, Port Aggregation Protocol (PAgP) support, Dynamic Trunking Protocol (DTP) support, Diff. Serv support, IGMP snooping, DHCP support, Multicast Storm Control, Unicast Storm Control, Broadcast Storm Control, Rapid Spanning Tree Protocol (RSTP) support, Auto-sensing per device, Syslog support, Auto-negotiation, Auto-uplink (auto MDI/MDI-X)
RAM	—128 MB
Flash Memory	—64 MB
Interfaces	—48 × Ethernet 10Base-T/100 Base-TX/1000 Base-T-RJ-45, 2 × SFP (mini-GBIC), 1 × Console-Mini-USB Type B-Management, 1 × Console RJ-45-Management, 1 × Ethernet 10 Base-T/100Base-TX-RJ-45 Management, USB: 1 × 4 pin USB Type A
AC power cord	—Yes
Console cable 6 ft. with USB type A and mini B	—Yes

Power retainer clip for compact switches

—Yes

Warranty

—Three years warranty and two years AMC after warranty with advance replacement on separate quote.

Buy back

—One old switches available in Forest headquarters need to be exchanged. The buyback price has to be indicated separately.

B. Technical Specifications of 24 Port Network switches

	Qty. (Approx.)
Device Type	— Switch-24 ports Two Layer 2 managed switch
Rack-mountable	— Yes
Ports	— 24 × 10/100/1000+2 × SFP (mini GBIC)
Switching capacity	— 50 Gbps
Forwarding performance	— 38.7 mpps
Remote Management Protocol	— HTTPS, TFTP, Telnet, RMON 1, SNMP 2, SNMP 1, SNMP 3, RMON 2, HTTP, SSH-2, SNMP 2c
Features	— Layer 2 switching, VLAN support, Multiple Spanning Tree Protocol (MSTP) support, Link Aggregation Control Protocol (LACP), Port Security, MAC Address Notification, Port Aggregation Protocol (PAgP) support, Dynamic Trunking Protocol (DTP) support, Diff. Serv support, IGMP snooping, DHCP support, Multicast Storm Control, Unicast Storm Control, Broadcast Storm Control, Rapid Spanning Tree Protocol (RSTP) support, Auto-sensing per device, Syslog support, Auto-negotiation, Auto-uplink (auto MDI/MDI-X)
RAM	— 128 MB
Flash Memory	— 64 MB
Interfaces	— 48 × Ethernet 10Base-T/100Base-TX/1000Base-T-RJ-45, 2 × SFP (mini-GBIC), 1 × Console-Mini-USB Type B-Management, 1 × Console-RJ-45 Management, 1 × Ethernet 10 Base-T/100Base-TX-RJ-45-Management, USB: 1 × 4 pin USB Type A

AC power cord — Yes
 Console cable 6 ft. with
 USB type A and mini B — Yes
 Power retainer clip for
 compact switches — Yes

Warranty — Three years warranty and
 two years AMC after
 warranty with advance
 replacement on separate
 quote
 Buy back — Two old switches available
 in Forest headquarters need
 to be exchanged. The buyback
 price has to be indicated
 separately.

**C. Technical Specifications of A0 Plotter Qty.
 (Approx.)**

Print resolution — 2400 x 1200 and more One
 No. of cartridges — Five colour or more
 Line accuracy — +/-0.1%
 Technology — Thermal Inkjet
 Sheet feed, roll feed — Yes
 and automatic Cutter
 Memory — 256 MB or more
 Connectivity — Hi-speed USB 2.0 and fast
 ethernet
 Print Languages — Adobe post script 3, Adobe
 PDF 1.7
 Drivers Media — Yes for Windows
 Print heads — Yes
 Full ink cartridges — Yes
 Printer Stand and Spindle — Yes
 Warranty & AMC — Three years warranty and
 two years AMC after
 warranty on separate quote
 Buy Back — One old A0 Plotters
 available in Forest head-
 quarters need to be
 exchanged. The buyback
 price has to be indicated
 separately.

**D. Technical Specifications of DLP Projectors Qty.
 (Approx.)**

Technology — DLP Ten
 Native Resolution — 1024 x 768 pixels (XGA)
 Brightness — At least 2500 LUMENS
 in normal mode
 Contrast ratio — 4000:1
 Lens — Short throw 0.6:1

Colour wheel — 6 segment
 Lamp Life — 6000 Hrs. or more (eco mode)
 Control — IR Remote Control
 Input sources — VGA, composite video,
 S-Video, USB B Mini, RS 232
 Zoom and focus — Manual
 Native aspect ratio — 4:3 should also support 16:9
 Weight — Not more than 2.25 Kg.
 Accessories — Power cord, VGA cable,
 User manual, remote Control
 Warranty & AMC — Three years warranty and
 two years AMC after
 warranty on separate quote
 Buy back purchase — Four number of projectors
 already available in different
 field offices need to be
 changed on buyback price.
 The buyback price has to
 be shown separately.

**E. Technical Specifications of Digital Cameras Qty.
 (Approx.)**

Effective Pixels — At least 16 Mega Pixels 50
 Optical Zoom — Minimum 5 x Zoom
 Digital Zoom — Minimum 4 x
 Movie Recording — Yes
 Capture Mode — Single & Continuous
 Compatible Recording — 4 GB SD Memory Card
 Media with internal memory
 LCD — At least 3" TFT LCD
 with anti-reflection coating
 ISO Sensitivity Setting — Auto and Manual from
 80-1600
 Flash — Built in flash
 Battery Life — At least 680 shots with
 Li-ion battery
 Battery System — Lithium ion Battery
 Accessories — Camera Strap, Rechargeable
 Li-ion Battery, USB Cable,
 Audio Video Cable, Software
 CD-ROM and AC Adapter
 and carry case
 SD Card — Separate rates have to be
 quoted for 8 and 12 GB
 SD card
 Warranty & AMC — Three years Warranty and
 two years AMC after
 warranty on separate quote
 Buyback Purchase — Thirteen number of digital
 cameras already available
 in different field offices
 need to be changed on
 buyback price. The buyback
 price has to be shown
 separately.

F. Technical Specifications of Advanced Digital Cameras Qty. (Approx.)

Effective Pixels	— At least 16 Mega Pixels	5
Optical Zoom	— Minimum 42 x Zoom	
Digital Zoom	— Minimum 2 x	
Movie Recording	— Yes	
Capture Mode	— Single & Continuous	
Compatible Recording Media	— 8 GB SD Memory Card with Internal memory	
LCD	— At least 3" TFT LCD with anti-reflection coating and tiltable	
ISO Sensitivity Setting	— Auto and Manual from 100-3200	
Flash	— Built in flash	
Battery Life	— At least 240 shots	
Battery System	— Lithium ion Battery	
Accessories	— Camera strap, Rechargeable Li-ion Battery, Charging AC Adapter, USB Cable, Audio Video Cable, Software CD-ROM, Lens Cap, reference manual CD and carry case	
SD Card	— Separate rates have to be quoted for 12 and 16 GB card	
Warranty & AMC	— Three years warranty and two years AMC after warranty on separate quote	

G. Technical Specifications of Multipurpose Solar Charger Qty. (Approx.)

Minimum charging time for equipment such as walkie talkie, PDA, mobile phone, camera battery etc.	— 20-30 minutes maximum
Rust free cabinet	— Yes
Attached home light system	— For minimum of 30 hrs with LED bulb
Ways to charge the system	— Solar, Mains, Car battery
Double battery backup	— Yes
Charging from Solar as well as Mains (off grid)	— Yes
Charge devices directly from solar, without battery connected to system (on grid)	— Yes

Separate circuit for off grid as well as on grid system	— Yes
Floating charge controller of 1 amp to 10 amp	— Yes
Off Grid battery connection 14-20Ah	— Yes (separate rates should be quoted)
Off Grid battery connection 80Ah-100Ah	— Yes (separate rates should be quoted)
Home light system using LED bulb attached to the system	— Yes, which can illuminate for 30 hrs in high mode and for 60 hrs in low mode with LED bulb
Equipment that can be recharged	— Walkie Talkie, Main set, Mobile phone, Camera Battery, Portable Light, PDA, Camera Trap battery, Laptop, Torch, Search light etc.
Warranty	— Three years warranty and two years AMC after warranty with advance replacement on separate quote.

(Sd.)
Office of the Additional Principal,
Chief Conservator of Forests (FMIS), Vazhuthacaud, Thiruvananthapuram.
*Additional Principal
Chief Conservator of Forests
(FMIS)
(For and on behalf of
the Governor of Kerala).*

ദർഘാസ് പരസ്യം

നമ്പർ പിഎ2-2455/2012.

2012 ജൂലൈ 13.

കേരള ഗവർണ്ണർക്കുവേണ്ടി പുനലൂർ ഡിവിഷനിൽ പത്തനാപുരം റെയിഞ്ചിൽ താഴെ പറയുന്ന സ്ഥലത്ത് സൗരോർജ്ജ വൈദ്യുത കമ്പി വേലിക്കുള്ള സാധന സാമഗ്രികൾ സപ്ലൈ ചെയ്ത് കമ്പി വേലി സ്ഥാപിക്കുന്നതിനും പരിപാലനത്തിനും വേണ്ടി മത്സരസ്വഭാവമുള്ളതും മുദ്ര വച്ചതുമായ ദർഘാസുകൾ അംഗീകൃത കരാറുകാർ/എഞ്ചിനീയർമാർ/സ്ഥാപനങ്ങൾ എന്നിവരിൽനിന്നും 2012 ആഗസ്റ്റ് മാസം 16-ാം തീയതി 3 മണിക്ക് മുമ്പായി നേരിട്ടോ രജിസ്റ്റേർഡ് തപാൽ മുഖേനയോ പുനലൂർ ഡിവിഷണൽ ഫോറസ്റ്റാഫീസറുടെ ഓഫീസിൽ ലഭിക്കത്തക്കവിധം ക്ഷണിച്ചുകൊള്ളുന്നു.

ടെണ്ടർ നമ്പർ—3/2011-12.

പ്രവൃത്തിയുടെ പേരും ഉദ്ദേശ അടങ്കൽ തുകയും— പത്തനാപുരം റെയിഞ്ചിൽ ചെറുകടവ് വനസംരക്ഷണ സമിതിയുടെ പരിധിയിൽ വരുന്ന ചെറുകടവ് എൻക്ലോഷറിന് ചുറ്റും 3.5 കി. മീറ്റർ സൗരോർജ്ജവേലി നിർമ്മിക്കലും പരിപാലനവും— 3.76 ലക്ഷം.

നിരതദ്രവ്യം— 9,400.

ടെണ്ടർ ഫോറത്തിന്റെ വില— 800 + വാറ്റ്.

ദർഘാസ് ഫോറം നൽകുന്ന തീയതിയും സമയവും—
16-8-2012, 1 മണി.

ദർഘാസുകൾ സ്വീകരിക്കുന്ന തീയതിയും സമയവും—
16-8-2012, 3 മണി.

ദർഘാസുകൾ തുറക്കുന്ന തീയതിയും സമയവും—
17-8-2012, 11 മണി.

പകരം ദർഘാസ് തീയതി—24-8-2012.

കരാറുകാരുടെ യോഗ്യത—'ഡി' ക്ലാസ്സും ഉപരിയും.

ജോലി പൂർത്തിയാക്കേണ്ട കാലാവധി—90 ദിവസം.

ദർഘാസ് ഫോറം ആവശ്യമുള്ള കരാറുകാർ/ ഏജൻസികൾ/സ്ഥാപനങ്ങൾ അവരുടെ തിരിച്ചറിയൽ രേഖ ഹാജരാക്കിയെങ്കിൽ മാത്രമേ ദർഘാസ് ഫോറങ്ങൾ ലഭിക്കുകയുള്ളൂ. ദർഘാസ് ഫോറത്തിനായി അതിന്റെ വില വിൽപ്പന നികുതിയടക്കം റൊക്കം പണമായി അടച്ച് രേഖാമൂലം അപേക്ഷിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും തിരികെ നൽകുന്നതല്ല. ദർഘാസ് പ്രമാണങ്ങൾ കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ദർഘാസ് പ്രമാണത്തോടൊപ്പം 100-ന്റെ മുദ്രപത്രത്തിൽ പ്രാഥമിക ഉടമ്പടി അടക്കം ചെയ്തിരിക്കേണ്ടതാണ്. നിശ്ചിത നിരതദ്രവ്യം പുനലൂർ ഡിവിഷണൽ ഫോറസ്റ്റ് ഓഫീസറുടെ പേരിൽ പ്ലഡ്ജ് ചെയ്തതും പ്രവർത്തിയുടെ പേർ രേഖപ്പെടുത്തിയിരിക്കേണ്ടതുമാണ്. മേൽപ്പറഞ്ഞ വ്യവസ്ഥകൾ പാലിക്കാത്തതും നിശ്ചിത സമയത്തിനുള്ളിൽ സമർപ്പിക്കാത്തതുമായ ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. നിരതദ്രവ്യം പുനലൂർ ഡിവിഷൻ ഫോറസ്റ്റ് ഓഫീസറുടെ പേരിൽ പണയപ്പെടുത്തിയ ബാങ്ക് ഡിമാന്റ് ഡ്രാഫ്റ്റായോ സ്ഥിരനിക്ഷേപമായോ നാഷണൽ സേവിംഗ്സ് സർട്ടിഫിക്കറ്റ് ആയോ ദർഘാസിനൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസുകൾ 17-8-2012-ാം തീയതി രാവിലെ 11 മണിക്ക് ഹാജരുള്ള കരാറുകാരുടെ/ഏജൻസികളുടെ/സ്ഥാപനങ്ങളുടെ സാന്നിധ്യത്തിൽ തുറന്ന് പരിശോധിക്കുന്നതാണ്. ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന ദിവസം പൊതു അവധി പ്രഖ്യാപിച്ചാൽ അടുത്ത പ്രവൃത്തി ദിവസം നിശ്ചിത സമയത്ത് ദർഘാസുകൾ സ്വീകരിക്കുന്നതും തുറക്കുന്നതുമായിരിക്കും. 19-8-1997-ലെ കേരള സർക്കാർ ഉത്തരവ് നമ്പർ ജി. ഒ. (പി) 84/97/പി & റ്റി വ്യവസ്ഥകൾ ഉൾപ്പെടെ പൊതുമരാമത്ത് വകുപ്പിലെ ദർഘാസിനെ സംബന്ധിച്ച എല്ലാ വ്യവസ്ഥകളും ഈ ദർഘാസിനും ബാധകമായിരിക്കും. വൈദ്യുത കമ്പി വേലികൾ സ്ഥാപിക്കുന്നതു സംബന്ധിച്ച് പ്രിൻസിപ്പാൾ, ചീഫ് കൺസർവേറ്റർ, തിരുവനന്തപുരത്തിന്റെ 27-10-2009-ലെ 4/2009 നമ്പർ പ്രകാരമുള്ള സർക്കുലറിലെ താഴെ പറയുന്ന നിബന്ധനകൾ നിർബന്ധമായും ടെണ്ടറിൽ പങ്കെടുക്കുന്ന കരാറുകാർ/ഏജൻസികൾ/സ്ഥാപനങ്ങൾ പാലിക്കേണ്ടതാകുന്നു. 19-8-1997-ലെ കേരള സർക്കാർ ഉത്തരവ് നമ്പർ ജി. ഒ.(പി) 84/97/ പി & റ്റി വ്യവസ്ഥകൾ ഉൾപ്പെടെ പൊതുമരാമത്ത് വകുപ്പിലെ ദർഘാസിനെ സംബന്ധിച്ച എല്ലാ വ്യവസ്ഥകളും ഈ ദർഘാസിനും ബാധകമായിരിക്കും.

നിബന്ധനകൾ

1. വൈദ്യുത കമ്പി വേലി സ്ഥാപിക്കുന്ന ജോലി ഈ രംഗത്ത് പരിചയം ഉള്ള കരാറുകാർ/ഏജൻസികൾ/സ്ഥാപനങ്ങൾ മുഖേന ചെയ്യേണ്ടതിനാൽ തൃപ്തികരമായ രീതിയിൽ ജോലി ചെയ്തുകൊടുത്തിട്ടുണ്ടെന്ന് തെളിയിക്കുന്നതിന് ജോലി ചെയ്ത് കൊടുത്ത സ്ഥാപനത്തിന്റെ/സ്ഥാപനങ്ങളുടെ ജില്ലാ മേലധികാരി/മേലധികാരികളിൽ നിന്നും ലഭിച്ച പരിചയ സർട്ടിഫിക്കറ്റുകളും/സർട്ടിഫിക്കറ്റുകളുടെ സാക്ഷ്യപ്പെടുത്തിയ പകർപ്പുകൾ ടെണ്ടറിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്.
2. കമ്പി വേലി സ്ഥാപിക്കുന്നതിനും അറ്റകുറ്റപണികൾ ചെയ്യുന്നതിനും ഏറ്റവും ഗുണനിലവാരമുള്ള ഉപകരണങ്ങൾ മാത്രം ഉപയോഗിക്കേണ്ടതാണ്. ഉപകരണങ്ങൾ ബാംഗ്ലൂർ ആസ്ഥാനമായ പവർ റിസർച്ച് ഇൻസ്റ്റിറ്റ്യൂട്ടിന്റെയോ, ഡി.ജി.എസ്. ആന്റ് ഡി.-യുടെയോ ഗുണമേന്മ സർട്ടിഫിക്കറ്റ് ഉള്ളവയായിരിക്കണം.
3. ടെണ്ടറിനോടൊപ്പം സ്റ്റേയിൻ ഇൻസുലേറ്റർ, പോളി കാർബൺ, റീൽ ഇൻസുലേറ്റർ, പോളി പ്രൊപ്പൈൽ വയർ ടൈറ്റ്നർ, ജോയിന്റ് ക്ലാമ്പ്, ലീഡ് ഔട്ട് കേബിൾ, 12 എസ്. ജി. ഡബ്ല്യു. ഹൈടെൻസിൽ വയർ 14 എസ്. ജി. ഡബ്ല്യു. വൈൻഡിംഗ് വയർ എന്നിവയുടെ സാമ്പിളുകൾ മുദ്രവച്ചതും കരാറുകാരന്റെ പേരുവിവരം രേഖപ്പെടുത്തിയതുമായ കവറിൽ സമർപ്പിക്കേണ്ടതാണ്.
4. എനർജൈസറിൽ പതിപ്പിച്ചിട്ടുള്ള വാറണ്ടി/ഗ്യാറണ്ടി സീൽ നശിപ്പിക്കുകയോ ഇളക്കി മാറ്റുകയോ കേടുവരുത്തുകയോ ചെയ്യരുത്. വാറണ്ടി/ഗ്യാറണ്ടി കാലയളവ് രേഖാമൂലം ടെണ്ടർ സമയത്ത് സമർപ്പിക്കുകയും ചെയ്യേണ്ടതാണ്.
5. വൈദ്യുത കമ്പി വേലിക്ക് ആവശ്യമുള്ളത്ര വലിപ്പം എപ്പോഴും നിലനിർത്തേണ്ടതും എന്നാൽ അമിത വലിപ്പം ഉണ്ടാകാത്ത വിധത്തിലുമാണ് വേലി സ്ഥാപിക്കേണ്ടത്.
6. എ. സി. മെയിൻ വൈദ്യുത കമ്പി വേലിയുമായോ എനർജൈസറുമായോ ഒരു കാരണവശാലും തൊടരുത്.
7. മെയിൻ നൻസ്/എ.എം.സി കാലാവധിക്കുള്ളിൽ ബാറ്ററി/എനർജൈസർ/സോളാർ പാനൽ/ക്യാബിൻ സെറ്റ് എന്നിവയ്ക്കുണ്ടാകുന്ന പോരായ്മകൾ പരിഹരിക്കുന്നതിനായി ആവശ്യമായ സാങ്കേതിക സേവനങ്ങൾ കരാറുകാരൻ/ഏജൻസി/സ്ഥാപനം ചെയ്തു കൊടുക്കേണ്ടതാണ്.
8. വലിയ കാറ്റോ ഇടിമിന്നലോ ഉണ്ടാകുമ്പോൾ വൈദ്യുത ബന്ധം താൽക്കാലികമായി വിടുവാനുള്ള ലൈറ്റിംഗ് അറസ്റ്റർ ഘടിപ്പിച്ചിരിക്കേണ്ടതാണ്.
9. ചാർജിൽ നിന്നോ സോളാർ പാനലിൽ നിന്നോ എനർജൈസറിലേക്ക് നേരിട്ട് വൈദ്യുതി കടത്തി വിട്ടുകൊണ്ട് വേലി സ്ഥാപിക്കരുത്.
10. ദർഘാസിനൊപ്പം 100-ന്റെ മുദ്രപത്രത്തിൽ ഒപ്പിട്ട ഒരു പ്രാഥമിക എഗ്രിമെന്റ് സമർപ്പിക്കുന്നതോടൊപ്പം തന്നെ സ്ഥാപിക്കാനുദ്ദേശിക്കുന്ന വൈദ്യുത കമ്പി വേലിയുടെ വാറന്റി കാലാവധിക്കുശേഷം 3 വർഷത്തെ മെയിൻ നൻസ് പ്രവർത്തിയും ചെയ്ത് കൊടുക്കുന്നതാണെന്നും കൂടി ഉൾപ്പെടുത്തി എഗ്രിമെന്റിൽ ഒപ്പുവയ്ക്കേണ്ടതും യഥാവിധി മെയിൻ നൻസ് ചെയ്യുന്നതിന്

കരാറുകാർ/ഏജൻസി/സ്ഥാപനം ബാധ്യസ്ഥരായിരിക്കും. ടി മൂന്ന് വർഷ കാലാവധിക്കുശേഷം മാത്രമേ ടി പണി പൂർത്തിയായതായി കണക്കാക്കുകയുള്ളൂ. ഏതെങ്കിലും കാരണവശാൽ നിശ്ചിത ദിവസം ദർഘാസ് നടപടികൾ നടക്കാതെ വന്നാൽ 24-8-2012-ന് ക്രമപ്രകാരം ദർഘാസ് നടപടികൾ നടത്തുന്നതാണ്. ഈ വിജ്ഞാപനം വനം വകുപ്പിന്റെ ഔദ്യോഗിക വെബ്സൈറ്റായ www.forest.kerala.gov.in-ൽ ലഭ്യമാണ്.

(ഒപ്പ്)

ഡിവിഷണൽ ഫോറസ്റ്റാഫീസ്,	ഡിവിഷണൽ
പുനലൂർ ഫോറസ്റ്റ് ഡിവിഷൻ,	ഫോറസ്റ്റാഫീസർ/
പുനലൂർ.	ചീഫ് എക്സിക്യൂട്ടീവ് ഓഫീസർ.